TURBINE OIL



PRODUCT DESCRIPTION

Oscar Turbine Oil is for use in modern steam and medium duty gas turbines. It has been designed to enable the higher oxidation performance required by modern turbine oil specifications including RPVOT and TOST requirements.

ΔΡΡΙ ΙCΔΤΙΩΝ

Turbine oils for gas and steam turbines, also with gearboxes and as a control fluid for turbine plants and turbo-compressors.

PROPERTIES

- Enhanced oxidation resistance
- Outstanding demulsibility
- Excellent filtration performance even in the presence of water and calcium contamination
- Outstanding rust and non-ferrous corrosion protection

PERFORMANCE LEVELS

Meets and exceeds:

L-TD and L-TG turbine oils acc. to DIN 51 515-1 and -2; ASTM D-4304 Type I & Type III; Alstom HTGD 90017; British Standard BS 489; DIN 51515 Part 1 & Part 2; DIN 51524 Part 1; General Electric GEK-32568F; ISO 8068 TGB TGSB & ISO 8068 TGA TGA; ISO 11158 HH & HL; Siemens AG TLV 9013 05 High Thermal Stability; Siemens AG TLV 9013 04 Standard Thermal Stability

TYPICAL PROPERTIES

I I PICAL PROPERTIES						
PARAMETERS	TEST METHOD	UNIT	(OSCAR TURBINE OIL		
Product Name			32	46	68	
Density at 15 °C	ASTM D1298	kg/m3	842	846	851	
Flash point Cleveland	ASTM D92	°C	220	238	248	
Kinematic viscosity at 40 °C	ASTM D445	mm2/s	32	46	68	
Kinematic viscosity at 100 °C	ASTM D445	mm2/s	5,8	7,6	9,9	
Viscosity Index	ASTM D2270	-	125	131	128	
Pour Point	ASTM D97	°C	-25	-25	-25	

The values shown above are typical values at the date of publication. Oscar Lubricants reserves the right to change these typical values without prior notice

HEALTH & SAFETY, ENVIRONMENT:

Prolonged and repeated contact with oil may cause skin disorders. Avoid contact. Wash immediately with soap and water. Do not discharge used oil in to drains or the environment. Dispose to an authorized used oil collection point. For further Information on Safety Guidelines please refer to MSDS available on our website www.oscarlubricants.com

